

Please type a plus sign (+) inside this box	Patent	and Trademark Office: U.S. F.	PTO/SB/05 (4/98) h 09/30/2000. OMB 0651-0032 = DEPARTMENT OF COMMERCE avs a valid OMB control number.
UTILITY	Attorney Docket No.	286262-00005	
PATENT APPLICATION	First Inventor or App	lication Identifier Meir	S.Sacks
	Title Composi	tions and Metho	xds For Treating*
TRANSMITTAL (Only for new nonprovisional applications under 37 C F.R. § 1 53(b))	Express Mail Label I	vo. EL701532248	RUS
APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents		Assistant Com ESS TO: Box Patent Ap Washington, D	
Y Yee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing) The processing of the p	5. N	licrofiche Computer Progr	ram (Appendix)
Specification [Total Pages 16] Specification (preferred arrangement set forth below) Descriptive title of the Invention	(if appli	tide and/or Amino Acid Se icable, all necessary) Computer Readable	Copy 2.59
- Cross References to Related Applications - Statement Regarding Fed sponsored R & D	b. [c. [= ' ''	al to computer copy)
Reference to Microfiche Appendix Background of the Invention		COMPANYING APPL	
Brief Summary of the Invention		Assignment Papers (cover	
 Brief Description of the Drawings (if filed) Detailed Description 	LH	7 C.F.R.§3.73(b) Stateme when there is an assignee	ent Power of
- Claim(s)	9. E	English Translation Docum	
- Abstract of the Disclosure 3. Drawing(s) (35 U.S.C. 113) [Total Sheets		nformation Disclosure Statement (IDS)/PTO-1449	Copies of IDS Citations
4. Oath or Declaration [Total Pages 3	1, 1	Preliminary Amendment	
a. X Newly executed (original or copy)		Return Receipt Postcard (i Should be specifically iter	
b. Copy from a prior application (37 C.F.s. (for continuation/divisional with Box 16 comple i. DELETION_OF INVENTORIS) Signed statement attached delet inventor(s) named in the prior app	ting lication,	Small Entity Statement(s) PTO/SB/09-12) Statu Certified Copy of Priority D if foreign priority is claime	
see 37 C.F.R. §§ 1.63(d)(2) and 1 *NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27),	L ENTITY EXCEPT	Other:	
IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. S	1.28)		
16. If a CONTINUING APPLICATION, check appropriate be Continuation Divisional Continuation Prior application information: Examiner For CONTINUATION or DIVISIONAL APPS only. The entire disunder Box 4b, is considered a part of the disclosure of the ac	closure of the prior ap	orior application No: Group / Art Unit: plication, from which an oat ion or divisional application	th or declaration is supplied
reference. The incorporation can only be relied upon when a	portion has been inade PONDENCE ADDR		ubmitted application parts.
Customer Number or Bar Code Label	lo. or Altach bar code la	or 🛛 Com	espondence address below
Name Diane R. Meyers Eckert Seamans Cherin	& Mellott 1	T.C	
Address 600 Grant Street, 44th			
city Pittsburgh s	State PA	Zip Code	15219
Country US Telephi	one 412/56	6-2036 Fax	412/566-6099
Name (PantType) Diane R. Meyers	Regis	tration No. (Attorney/Agent)	38,968
Signature 1214		Date	9/1/2000

Burden Hour Statement, Dieliform is estimated to bite-9.2-heem't to complete. Time will vary depending upon the needs of the individual case, comments on the amount of time you are required to complete this form should be sent to the Chef Information Officer, Patent and Trademark Office, Washington, DC 20231, DD NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO. Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Date of Deposit: September 1, 2000 Express Mail No.: EL701532248US

PTO/SB/17 (12/99)
Approved for use through 99/30/2000 OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANS	MITTA	LΤ	Complete if Known							
	_	Apple	catio	n Num	ber					
for FY 2	- 1	Filing	Date							
Patent fees are subject to annual revision Small Entity payments must be supported by a small entity state:			First	Nam	ed lave	entor	Meir	S.Sac	cs	
otherwise large entity fees must be paid	See Forms PTO/SB/0		Exam	iner	Name					
See 37 C.F.R. §§ 1.27 and 1.28			Grou	p / Ac	t Unit					
TOTAL AMOUNT OF PAYMENT	(\$) 453.00	ı	Altori	nev D	ocket	No.	28	6262-0	0005	
			=	=						
METHOD OF PAYMENT							LCULA	TION (con	tinued)	
The Commissioner is hereby an indicated fees and credit any or			DDITI e Entity							
Deposit		Fee Cod	Fee	Fee	Fee e (\$)	,	Fee D	escription		Fee Paid
Account Number 02-2556		105	130	205	65	Surcha	ırge - late fi	ling fee or o	itti	
Deposit :		127	50	227	25	Surcha	rge - late p	rovisional fili		-
Account Followt Seamen	ns II					covers	sheet.			
(talife		139	130	139	130	Non-E	nglish speci	ification		
Charge Any Additional Fee F Under 37 CFR §§ 1 16 and 1	equired 17	147	2,520	147	2,520			t for reexam		<u> </u>
a.□ a . i.e i . i		112	920*	112	920*	Reque	sting public ner action	ation of SIR	prior to	
2. X Payment Enclosed: Check Order	Other	113	1,840*	113	1,840	Reque	sting public	ation of SIR	after	
Q COMM		115	110	200	55		ner action ion for repl	y within first:	month	
, FEE CALCULATE	N	116	380	215	190			y within seco		
1. BASIC FILING FEE		117	870	217	435	Extens	ion for rept	y within third	month	
Large Entity Small Entity Fee Fee Fee Fee Descrip	ption	118	1,360	218	680	Extens	ion for rept	y within fourt	h month	
Code (\$) Code (\$)	Fee Paid	128	1,850	228	925	Extens	ion for rept	y within fifth	month	
101 690 201 345 Utility filing fe	343	119	300	219	150	Notice	of Appeal			
106 310 206 155 Design filing f		120	300	220	150	Filing:	a brief in su	pport of an a	ppeal	
108 690 208 345 Reissue films		121	260	221	130		st for oral h			
114 150 214 75 Provisional file		138	1,510	138	1,510			e a public us		9
		140	110	240	55			- un avoidable		
SUBTOTAL (1)	(\$) 345	141	1,210	241	605			- unintention	a1	
2. EXTRA CLAIM FEES	Fee from	142	1,210	242	605		issue fee (o	r reissue)		
Extra Claims	below Fee Paid	143	430	243	215	-	n issue fee ssue fee			
Total Claims 32 -20** = 12 X	9 108	144	580 130	122	290 130			ommis sioner		
Claims	-32 1	123	50	123	50					
**or number previously paid, if greater, Fe	r Paissuas san halow	126	240	126	240			o provisional		
Large Entity Small Entity	A 1101334103, 800 8010W	ı						omation Dis		"
Fee Fee Fee Fee De Code (\$) Code (\$)	scription	581	40	581	40	Recon	ding each p	atent assign umber of pro	ment per perties)	
103 18 203 9 Claims in exc	ess of 20	146	690	246	345	Fiting	a submissio	on after final		-
102 78 202 39 Independent	claims in excess of 3	١			0.45	(37 CF	FR § 1.129((a})		
104 260 204 130 Multiple depe	ndent claim, if not paid	149	690	249	345			at invention R § 1.129(b)		
109 78 209 39 **Reissue In over origina	Sependent claims	۱								
	ipatent sims in excess of 20	Other	fee (sp	ectry)						
	iginal patent	Other	fee (sp	ecify)						L
SUBTOTAL (2)	(\$) 108	l., .						UBTOTAL	(3) (\$)	0
335.3 TAC (2)	(-, ±00	Red	uced by	Basic	Filing	Fee Pai	10		., [-7]	
SUBMITTED BY								Complete (f applicable)	
Name (Pontitype) Diane R. 1	Meyers /)	Regist (Attorne			38,9	68	Telephone	412/	566-2036
Signature DXXD	11.							Date	Sente	mber 1, 200
MARNING:	"							L	Depte	11471 1 20C

Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete, Timo will vary depending upon the needs of the individual case. Any comments on the amount of tem or you are required to complete this form should be sent to the Chile Information Officer, Patient and Trade

Planet and Traderiate Of Planet and Traderiate Of Planet and Traderiate Of Planet Of P STATEMENT CLAIMING SMALL ENTITY STATUS Docket Number (Cotional) (37 CFR 1.5(f) & 1.37(b))-INDEPENDENT INVENTOR 286262-00005 Applicant Palentee, orldenther Melty S. Socks and Knox Ven Dyko Application or Patent No : Filed ortgound:_ Compositions and Methods for Treating Sexual Dysfunction As a below named invantor, i hereby state that I qualify as an independent invantor as defined in 37 CFR 1.9(c) for purposes of paying I aduced fees to the Patent that Trademark Office described in: [27] the specification filed herawith with 68e as listed above. the application identified above The parent identified above. I have not essigned, pranisht, conveyed, or housest, and any under no obligation under contract or law to satisfy, prant, corresp, or houses, any rights in the invantion to any person inflowability of quality as an independent invanish under 37 CPR 1.9(s) if that person had made the invanion, or to any concern which under all quality == a small business concern under 37 CPR 1.9(s) of a hourstoff or opposition under 37 CPR 1.9(s). Each parson, concern, or organization to which I have assigned, granted, conveyed, or licensed er am under an obligation under contract or law to usuign, grant, convey, or license any rights in the invention is listed below. No such person, concern or unganization exists. Hach such person, commen, of organization is listed below.

separate statements are required from each narrad person, concern, or organization having rights to the invention stating their status are small entities. (37 OFR 1.27)

I sucknowledge the duty to file in this application to patent, notification of any change in attent resulting in loss of entitlement to sared entity status prior to pusive, or at the steen of paying, the extent of the leaves four early management end us that the steen or which that the same of the paying, the extent of the leaves four or early management entity for or larger expropriate. (37 CFR 1.28(b))

Physician of inventor

8/31/00

9/31/00

NAME OF RIVENTOR

NAME OF RIVENTOR

NAME OF RIVENTOR

NAME OF RIVENTOR

Signature of inventor

8/31/00

Surger Hour Biglishard: That town is defaunted to lake 0.2 hours to complete. Then also stopped to the mortes of the Touristic state. Also completely on the stream's of one rout and mortes to screening the stream's town to the Conference of Newsymbol Children's refusing and Transport of State of Sta

10

15

20

25

30

COMPOSITIONS AND METHODS FOR TREATING SEXUAL DYSFUNCTION

FIELD OF THE INVENTION

The present invention is directed to compositions useful in treating sexual dysfunction in both men and women. Methods for using these compositions are also within the scope of the present invention.

BACKGROUND INFORMATION

Sexual dysfunction refers collectively to the failure to achieve any one of the four phases of sexual response—appetite, excitement, orgasm, or resolution. Sexual dysfunction is a widespread problem that affects both males and females. It is estimated that millions of people in the United States alone suffer from sexual dysfunction.

Sexual dysfunction in males is typically manifest by the inability to sustain an erection, the inability to ejaculate and/or the inability to experience orgasm. Erectile dysfunction or impotence is the inability to develop and sustain an erection adequate for intercourse and is estimated to affect millions of men in the United States alone. Erectile dysfunction can result from a number of physiological or psychological factors that cause the blood flow to and from the penis to remain imbalanced, thereby preventing retention of sufficient blood to cause rigid dilation and erection. More specifically, erectile dysfunction can be an "arteriogenic" dysfunction in which there is a physical problem with the blood supply to the penis or leakage from veins in the penis such that sufficient pressure cannot be obtained or maintained; a "neurogenic" dysfunction associated with, for example, nerve damage; or a "psychogenic" dysfunction that results from psychological issues such as anxiety or depression.

Sexual dysfunction affects women as well. As applied to women, the term "sexual dysfunction" generally refers to pain or discomfort during sexual intercourse, diminished vaginal lubrication, delayed vaginal engorgement, increased time for arousal, diminished ability to reach orgasm and/or diminished clitoral sensation. Vaginal dryness due to loss of normal vulvar and vaginal secretions most

15

20

25

30

often occurs in menopausal women, women suffering from an autoimmune disease and women undergoing radiation therapy. For women experiencing these problems, sexual intercourse is painful, if possible at all.

Problems with sexual dysfunction are therefore widespread in both males and females. Because of the stigma and embarrassment associated with sexual dysfunction, these problems often go untreated. Even when these problems are treated, the treatments are often undesirable or ineffective. For example, the treatment of males often involves injection into the penis, penile prostheses and urethral implantation of pharmacological agents. Typical treatments for women include the application of antipruritic ointments and creams, or hormone formulas that can cause clitoral enlargement or other masculinization, or that carry a risk of producing atrophy and thinning of the epithelium. Thus, the available treatments can often lead to problems of their own.

SUMMARY OF THE INVENTION

The present invention relates to compositions and methods for using these compositions to treat sexual dysfunction. The present compositions and methods have application both in treating male and female sexual dysfunction. The methods generally employ administering to the genitals of the patient being treated a composition comprising a nitric oxide (NO) donor or producer in conjunction with an antioxidant. More specifically, the NO donor is L-arginine or derivatives thereof. As will be appreciated, these compounds generate NO *in vivo*. Nitric oxide is a key vasodilator for blood vessels. Vasodilation leads to increased blood flow to the areas in which the vasodilation is effected.

Stretching of the blood vessels, such as that which occurs during vasodilation, causes the endothelial cell production of superoxide (O_2) from oxygen. The superoxide chemically reacts with nitric oxide to produce peroxynitrite (OONO); this reaction diminishes the concentration of nitric oxide available for vasodilation. In addition, peroxynitrite is a strong oxidizer which can, among other things, cause tissue damage and damage to membrane lipids and DNA of cells. Administration of NO generators, therefore, can result in peroxynitrite generation.

10

15

20

25

30

The present compositions and methods minimize peroxynitrite levels in the body by depleting superoxide concentrations and by breaking down peroxynitrate that is formed. This is achieved through the use of an antioxidant. Thus, the present methods allow for localized vasodilation through the topical application of the present compositions, while at the same time minimizing, if not eliminating, the tissue and cellular damage associated with other methods of NO generation.

It is therefore an object of the invention to provide compositions for treating sexual dysfunction in a patient.

It is another object of the invention to treat sexual dysfunction in a patient.

It is another object of the invention to increase blood flow to the genitals, without the generation of significant levels of peroxynitrite.

These and other aspects of the invention will be apparent based upon the following description and appended claims.

DETAILED DESCRIPTION OF THE INVENTION

The present invention is directed to methods for treating sexual dysfunction in a patient comprising topically administering to the genitals of the patient an effective amount of L-arginine or derivatives of L-arginine and an effective amount of an antioxidant. L-arginine, derivatives thereof, and antioxidants are referred to collectively herein as "active ingredients". The active ingredients can be administered at different times or concurrently. Accordingly, the present invention is further directed to a composition comprising L-arginine or derivatives thereof, and an antioxidant.

The term "sexual dysfunction" is used herein in its broadest sense as it applies to both males and females. Generally, the term denotes the inhibition of any one or more of the phases of sexual response including appetite, excitement, orgasm or resolution. In males, sexual dysfunction encompasses, for example, decreased sexual desire, the inability to sustain an erection, the inability to ejaculate and/or the inability to experience orgasm. In females, sexual dysfunction refers, for

15

20

25

30

example, to pain or discomfort during sexual intercourse, diminished vaginal lubrication, delayed vaginal engorgement, increased time for arousal, diminished ability to reach orgasm, and/or diminished clitoral sensation. It will be appreciated that treatment of sexual dysfunction as used herein in reference to both males and females encompasses enhancement of sexual pleasure and stimulation. For example, an orgasmic woman seeking a more pronounced sexual response can be treated according to the present methods. A more pronounced sexual response or enhancement of sexual pleasure includes, but is not limited to, decrease in the amount of foreplay, decrease in the period between orgasms, decrease in the intercourse time required for orgasm, and achievement of multiple orgasms.

The term "patient" as used herein refers generally to both male and female members of the animal kingdom. Because the present methods include inducement of sexual stimulation, they have application in, for example, animal husbandry. The present methods are therefore not limited to applications for humans.

As noted, the active ingredients of the present invention are topically administered to the genitals of the patient. In a male, this includes application to the glans (head) or shaft of the penis. Application of the present compounds to the head portion often provides the greatest effect. Female genitals to which the present compositions can be administered include the vagina, clitoris, clitoral hood, labium anterium, labium posterius, labia majora, and labia minora. Preferably, the present compounds are administered to the clitoral hood.

L-arginine is a natural amino acid that is widely commercially available. "Derivatives of L-arginine" refers collectively to N^G-hydroxy-L-arginine; di-, tri-, and tetra-peptides wherein the first amino acid at the amino terminal end is L-arginine or N^G-hydroxy-L-arginine; esterified L-arginine or hydroxylated L-arginine; amide derivatives of L-arginine or hydroxylated L-arginine; L-homoarginine; hydroxylated L-homoarginine; ester or amide derivatives of L-homoarginine or hydroxylated L-homoarginine and pharmaceutically acceptable salts of any of the above.

15

20

25

30

N^d-hydroxy-L-arginine is the direct intermediate in the production of NO. Hydroxylated L-arginine is commercially available. For example, L-hydroxyarginine acetate can be obtained from Cayman Chemical.

The peptides of the present invention are typically those having 2, 3 or 4 amino acids. The amino terminal amino acid is L-arginine, N^G-hydroxy-L-arginine or an ester of either one. The remaining acids in the peptide can also be L-arginine, hydroxylated L-arginine, or esters thereof, or can be any of the other 19 naturally occurring amino acids or derivatives thereof. Preferred peptides include arginine-lysine, arginine-glycine, and arginine-lysine-aspartic acid; hydroxylated L-arginine can be used in place of L-arginine in the preferred peptides.

Esterified versions of L-arginine or hydroxylated L-arginine are prepared, for example, when a reaction occurs at the carboxyl end of the amino acid with, for example, acid chlorides or anhydrides thereby forming an ester at the carboxyl end. These derivatizations render the amino acid "less charged" at the carboxyl end, since the COOH has been esterified. This allows transfer across cell membranes to occur more easily. Particularly preferred are the methyl ester derivatives of L-arginine, the ethyl ester derivatives of L-arginine, and mixtures thereof, although other ester derivatives are equally within the scope of the invention. Esters of L-arginine are commercially available from Sigma Chemical Co., St. Louis, Missouri.

Similarly, the amino end of the amino acid can be derivatized by addition of another functional group thereto.

L-homoarginine and hydroxylated L-homoarginine contain an extra methyl group (-CH₂-) in the carbon chain of arginine. Either of these amino acids can be further derivitized to form ester or amide derivatives.

The L-arginine and derivatives of L-arginine used according to the present invention generate nitric oxide (NO). As noted above, NO causes vasodilation, which results in increased blood flow to the area in which the vasodilation is effected. Increased blood flow to the erectile tissue of both males and females serves to treat the sexual dysfunction. For example, blood flow to the

20

25

30

corpus cavernosa of the penis allows for erection and also facilitates ejaculation and orgasm. Similarly, application of the present compositions to the clitoris and/or clitoral hood of the female results in increased blood supply leading to engorgement of the clitoris. This serves to heighten sexual arousal, enhance sexual pleasure, and otherwise minimize if not eradicate the symptoms associated with sexual dysfunction. Application of the present compositions to the vagina and external genitalia also results in lubrication sufficient so as to allow pain-free sexual intercourse.

Generation of nitric oxide and the vasodilation that occurs as a result can also ultimately lead to the generation of superoxide molecules. Superoxide combines with NO to produce peroxynitrite. The detrimental effects of this reaction are two-fold: the reaction ties up NO, and therefore minimizes the amount of NO available for vasodilation; and the generation of peroxynitrite causes tissue and cellular damage. The present methods and compositions overcome these detrimental effects by use of an antioxidant. The antioxidant converts the superoxide molecule to hydrogen peroxide and oxygen. In sufficient doses, the antioxidants deplete superoxide and break down any peroxynitrite that does form. Any antioxidant that will deplete superoxide levels and/or break down peroxynitrite is therefore within the scope of the present invention. A preferred antioxidant is L-ascorbate, also known as ascorbic acid or vitamin C, and derivatives thereof. Derivatives of vitamin C such as ester C (the calcium salt of L-ascorbate), dehydro-L-ascorbate, (the oxidized derivative of vitamin C), or ester C of dehydro-L-ascorbate can also be used, as can lipidated derivatives such as ascorbic acid palmitate; these compounds are collectively referred to herein as vitamin C derivatives or ascorbic acid derivatives

While oral administration and injection of various compounds, including various amino acids, have been taught in the art, there is no teaching of application of L-arginine or derivatives thereof, alone or in combination with an antioxidant, in a topical application. It has therefore been discovered that an effective therapeutic level of a NO producer and an antioxidant can be administered

topically to the genitals, and transdermally delivered through the skin into sites where the drug is therapeutically effective without damaging the tissue. Thus, the present invention allows for the localized delivery of an NO producer while at the same time minimizing, if not eliminating, the tissue and cellular damage that normally accompanies NO production.

An effective amount of each of the L-arginine or derivatives thereof and the antioxidant should be used. The effective amount can be that amount of the present composition necessary to bring about the desired amount of blood flow to the erectile tissue, while minimizing peroxynitrite damage to that tissue. "Erectile tissue" refers both to the erectile tissue of either the penis or the clitoris. The amount used should cause blood engorgement without significantly modifying motor or sensory functions. An effective amount can also be that amount needed to alleviate one or more of the symptoms of sexual dysfunction. Alleviating the symptoms of sexual dysfunction denotes a decrease in the inhibition of one or more of the four phases of sexual response noted above (appetite, excitement, orgasm or resolution). Such alleviation is manifest by, for example, increasing sexual desire, enhancing the ability to achieve and maintain an erection, enhancing the ability to ejaculate, enhancing the ability to experience orgasm for both males and females, and promoting vaginal lubrication.

It will be appreciated that the effective amount will vary depending on various factors including the patient to be treated, the sex of the patient, the sexual dysfunction being treated, the severity of the dysfunction, the patient's age and reaction to the treatment, the particular formulation employed, and the like. The determination as to what is an effective amount for each patient is within the skill of those practicing in the art. Generally, the dosage of the present compositions comprises at least about 1 milligram up to about 200 milligrams of active L-arginine or L-arginine derivative per ml of vehicle or carrier and at least about 1 milligram up to about 200 milligrams of active per ml of vehicle for the antioxidant. Higher dosages are also well within the scope of the present invention.

10

15

20

25

It will be appreciated that the antioxidants according to the present methods and compositions are preferably used in supratherapeutic amounts, that is, the amount necessary to control peroxynitrite formation. Thus, the antioxidant is not used in trace amounts to prevent oxidation of the composition itself or to extend the shelf life of the composition, although it also serves that function; the antioxidant itself contributes to the therapeutic benefit realized by the patient.

The active ingredients for the present composition are preferably contained in a pharmaceutical vehicle or carrier suitable for application to the genitals. It will be appreciated that all not all pharmaceutical carriers are appropriate for application to this sensitive region. The active ingredients are therefore preferably contained in a pharmacologically inert excipient, such as those reported in the "Remington Pharmaceutical Sciences Handbook", which will be familiar to those skilled in the art. The composition should be prepared in any administration form that is suitable for topical and epimucosal application to the body and on skin that is particularly thin and sensitive. For example, the pharmaceutical carrier can be a composition which facilitates application of the NO donor and antioxidant. One such carrier is methylcellulose, such as that sold commercially under the name KY* Jelly. Preferably, the carrier has a near neutral pH. Other examples of suitable carriers include water, silicone, waxes, polyethylene glycol, propylene glycol and sugars, and bases containing white petrolatum, paraffin wax, caprylic diglyceryl succinate, diisopropyl adipate and ethoxydiglycol. The composition can be in numerous forms including gels, ointment, foam, spray, cream, salve, lotion, liquid, emulsions, liposomal solution and other forms prepared by methods known in the art. Preferably, the composition has a viscosity such that it will stay generally on the area to which it is applied. A preferred method of delivery is a liposomal solution. Liposomal solutions can be made using commercially available kits following the manufacturer's instructions and with reference to common practices known in the art such as those discussed in "The National Formulary" or "Remingtons Pharmaceutical Sciences Handbook."

15

20

30

A pluronic lecithin organogel (PLO) liposomal solution has been found to be particularly suitable.

It will be understood that while "donor" and "antioxidant" are used in the singular, that more than one NO donor and more than one antioxidant can be used in the present methods and compositions.

The compositions according to the present invention can also include any of various other excipients, such as surfactants, suspending agents, emulsifiers, osmotic enhancers, extenders and dilutants, pH modifiers, fragrances, colors, flavors, and other additives. For example, a surfactant can be used to enhance the bioavailability of the active ingredients by reducing the tension between these ingredients and the skin of the genitals. Humectants and emollients can also be used, as can absorption or penetration enhancers or other additives commonly used in topical vehicles. Examples of suitable absorption enhancers include dimethylsulfoxide (DMSO) or its analogues, monoalkyl phosphates and pharmaceutically acceptable salts thereof, polyhydroxyesters, long chain fatty acids, polyhydroxyl alcohols and turpenes. The inactive ingredients in the present compositions should be chemically compatible with the active ingredients and should be of a low irritation potential so as not to irritate the genital area.

A preferred composition according to the present invention comprises mixtures of methyl and ethyl esters of L-arginine and vitamin C in a liposomal carrier.

EXAMPLES

The following examples are intended to illustrate the present 25 invention, and should not be construed as limiting the invention in any way.

Five women, each with various sexual dysfunctions, comprised a test group for the present methods and compositions. Their dysfunctions ranged from the inability to produce any vaginal moisture (this woman having had laproscopic removal of the ovaries approximately three years prior to testing) to women with varying degrees of lack of orgasmic fulfillment. Results were graded on a 0 to 10

basis, as reported by the women, with 0 being no sexual response at all to 10 being an extremely powerful sexual response. Each women was given three compositions: a control (which was a PLO vehicle with no active ingredient); the second comprising the PLO vehicle with esterified L-arginine; and the third comprising the PLO vehicle with esterified L-arginine and a combination of ascorbic acid and ascorbic acid-6-palmitate in a 1:1 ratio. The esterified L-arginine was either the ethyl ester of L-arginine or a combination of the ethyl ester and the methyl ester of L-arginine. Three rounds of testing were conducted, in which the concentrations of active ingredients were increased each time. The ratio of L-arginine to antioxidant was approximately 2:1 for those compositions in which both actives were used in all three rounds. The active or actives were contained in approximately 0.5 ml doses in the PLO carrier. The compositions were formulated according to methods commonly known to those skilled in the art for formulating liposomal solutions.

In the first round of testing, approximately 6 milligrams of esterified L-arginine was used. Three of the women did not feel that their sexual response had changed due to the use of any of the compositions. Of the two other women, one who was able to achieve orgasms in the past and who rated her previous orgasms as a 6 on the above scale, said that she had now achieved a better orgasm which she rated an 8. The other woman, who was unable to produce vaginal moisture and who rated her previous sexual response as 0, said that by using the compositions she was autolubricated, producing her own moisture in the vagina, and she rated her sexual experience a 4 on the scale.

A second round of testing was performed utilizing approximately 12 milligrams of esterified L-arginine. In response to this round of testing, two of the women did not feel there was any significant change in their sexual response. The woman who had previously said that by using the first composition, the strength of her orgasm had increased from a 6 on the scale to an 8, said that her orgasm was of greater intensity and could be rated as a 9 by using the "second round" composition. The woman with the inability to autolubricate, who said that her response to round

15

20

25

30

one of the tests could be rated a 4, now felt that her response was up to a 5. A third woman, who previously had felt there was no change in her sexual experience, reported that she had experienced a better orgasm and increased libido based upon use of the stronger composition. She said that her sexual experience that previously numbered a 2 would now rank on the scale as a 5.

In the third round of testing, the concentration of L-arginine was increased to approximately 25 milligrams. In response to the use of this composition, four of the five women reported increases in their sexual experience. The first woman, who had gone from a 6 to an 8 to a 9, reported a response of almost 10 by using the third composition. The woman with the inability to autolubricate who went from 0 to 4 to 5 reported a 10 in response to the third composition. The third woman, who had gone from a 2 to 5 went to about a 6 based upon using the third composition. The fourth woman, who had previously rated her sexual experience at about 1, rated her experience, based upon using the third composition, at a 3.

In all of the rounds of testing, none of the woman reported a response to the control. When an enhanced sexual response was realized, it occurred with the compositions comprising the esterified L-arginine both alone and in combination with the antioxidant; the response based upon use of the composition comprising only the esterified L-arginine was approximately the same as that when using the composition comprising the esterified L-arginine in conjunction with the antioxidant. Cell culturing confirmed that no peroxynitrite, or undetectable levels of peroxynitrite, were present when the composition comprising both the esterified L-arginine and the ascorbic acid combination were used.

As evidenced by the above examples, the present methods are effective in treating sexual dysfunction.

Whereas particular embodiments of this invention have been described above for purposes of illustration, it will be evident to those skilled in the art that numerous variations of the details of the present invention may be made without departing from the invention as defined in the appended claims.

WHAT IS CLAIMED IS:

- A method for treating sexual dysfunction in a male patient comprising topically administering to the genitals of said patient an effective amount of L-arginine or a derivative of L-arginine and an effective amount of an antioxidant.
- 2. The method of Claim 1, wherein said derivative of L-arginine is selected from the group consisting of hydroxylated L-arginine, di-, tri- or tetrapeptides having L-arginine or hydroxylated L-arginine at the amino terminal end, esters of L-arginine, esters of hydroxylated L-arginine, amides of L-arginine, amides of hydroxylated L-arginine, L-homoarginine, hydroxylated L-homoarginine, esters of hydroxylated L-arginine, amides of L-homoarginine, esters of hydroxylated L-arginine.
- The method of Claim 2, wherein said derivative of L-arginine is the methyl ester of L-arginine.
- The method of Claim 2, wherein said derivative of L-arginine is the ethyl ester of L-arginine.
- The method of Claim 1, wherein said derivative of L-arginine is a mixture of methyl ester of L-arginine and ethyl ester of L-arginine.
- The method of Claim 1, wherein the antioxidant is ascorbic acid or derivatives thereof.
- 7. The method of Claim 6, wherein said antioxidant is a combination of ascorbic acid and ascorbic acid palmitate.
- 8. The method of Claim 6, wherein the derivative of L-arginine is a methyl ester of L-arginine, an ethyl ester of L-arginine, or mixtures thereof.
- The method of Claim 1, wherein said L-arginine or derivative of L-arginine and said antioxidant are administered concurrently in the same composition.
- 10. The method of Claim 9, wherein said composition is in the form of a gel, ointment, foam, spray, cream, salve, lotion, liquid, or emulsion or liposomal suspension.

- 11. The method of Claim 1, wherein said effective amounts are those amounts necessary to cause the desired level of blood flow to erectile tissue while minimizing peroxynitrite levels.
- The method of Claim 1, wherein said L-arginine or derivative of L-arginine and said antioxidant are applied to the glans, shaft or both of the penis.
- 13. A method for treating sexual dysfunction in a female patient comprising topically administering to the genitals of said patient an effective amount of L-arginine or a derivative of L-arginine and an effective amount of an antioxidant.
- 14. The method of Claim 13, wherein said derivative of Larginine is selected from the group consisting of hydroxylated L-arginine, di-, tri- or
 tetra-peptides having L-arginine or hydroxylated L-arginine at the amino terminal
 end, esters of L-arginine, esters of hydroxylated L-arginine, amides of L-arginine,
 amides of hydroxylated L-arginine, L-homoarginine, hydroxylated L-homoarginine,
 esters of L-homoarginine, esters of hydroxylated L-arginine, amides of Lhomoargine and amides of hydroxylated L-arginine.
- 15. The method of Claim 14, wherein said derivative of Larginine is the methyl ester of L-arginine.
- 16. The method of Claim 14, wherein said derivative of Larginine is the ethyl ester of L-arginine.
- 17. The method of Claim 13, wherein said derivative of Larginine is a mixture of methyl ester of L-arginine and ethyl ester of L-arginine.
- 18. The method of Claim 13, wherein the antioxidant is ascorbic acid or derivatives thereof.
- 19. The method of Claim 18, wherein said antioxidant is a combination of ascorbic acid and ascorbic acid palmitate.
- The method of Claim 18, wherein the derivative of L-arginine is a mixture of methyl ester of L-arginine and ethyl ester of L-arginine.

- The method of Claim 13, wherein said L-arginine or derivatives of L-arginine and said antioxidant are administered concurrently in the same composition.
- 22. The method of Claim 21, wherein said composition is in the form of a gel, ointment, foam, spray, cream, salve, lotion, liquid, emulsion or liposomal suspension.
- 23. The method of Claim 13, wherein said effective amounts are those amounts necessary to cause the desired level of blood flow to erectile tissue while minimizing peroxynitrite levels.
- 24. The method of Claim 13, wherein said L-arginine or derivative of L-arginine and said antioxidant are applied to the clitoral hood.
- 25. The method of Claim 13, wherein said treatment results in enhancement of sexual pleasure.
- 26. A composition comprising L-arginine or a derivative of Larginine and an antioxidant in a pharmaceutical carrier suitable for application to the genitals.
- 27. The composition of Claim 26, wherein said derivative of Larginine is selected from the group consisting of hydroxylated L-arginine, di-, tri- or
 tetra-peptides having L-arginine or hydroxylated L-arginine at the amino terminal
 end, esters of L-arginine, esters of hydroxylated L-arginine, amides of L-arginine,
 amides of hydroxylated L-arginine, L-homoarginine, hydroxylated L-homoarginine,
 esters of L-homoarginine, esters of hydroxylated L-arginine, amides of Lhomoargine and amides of hydroxylated L-arginine.
- 28. The composition of Claim 27, wherein said derivative of L-arginine is selected from the group consisting of the methyl ester of L-arginine, the ethyl ester of L-arginine, and mixtures thereof.
- 29. The composition of Claim 28, wherein the antioxidant is ascorbic acid or derivatives thereof.
- 30. The composition of Claim 29, wherein said antioxidant is a combination of ascorbic acid and ascorbic acid palmitate.

- The composition of Claim 26, wherein said pharmaceutical carrier is a liposomal suspension.
- 32. The composition of Claim 26, further comprising one or more excipients selected from the group consisting of surfactants, suspending agents, emulsifiers, osmotic enhancers, extenders and dilutants, pH modifiers, fragrances, colors, flavors, humectants, emollients and absorption enhancers.

ABSTRACT

Methods for treating sexual dysfunction are disclosed. The methods generally comprise the administration of an NO donor and an antioxidant; the active ingredients can be administered topically to the genitals of the patient. The methods allow for localized NO delivery through topical application of the present compounds, while minimizing, if not preventing, damage associated with peroxynitrite formation. Compositions comprising L-arginine, or a derivative thereof and an antioxidant in a pharmaceutical carrier suitable for application to the genitals is also disclosed.

Nation type a plus sign (+) inside this o		Appr	oved for use the	PTOR	58/01 (12-97) 48 0661-0002			
Under the Papenwark Reduction a valid OMB ophtrol rumber,	Act of 1995, no persons	Palent and Traceme are required to respond	k Office U.S. DI to a unifiedition o	Application unit	OOMMERCE BY CONTRACE			
DECLARATION FOR	I ITH ITY AR	Attorney Decks	t Number	286262-0	10005			
DESIGN		Pirat Named Ins	enter	Sacks				
PATENT APPL	ICATION	COMPLETE IF KNOWN						
(37 CFR 1.	.63)	Application Num	ber					
☑ Declaration 🖺 the	actaration	Fiting Date						
Submitted OR Su	bmitted after initial	Group Art Unit						
Films (3	ling (surcharge 7 CFR 1,16 (e)) quited)	Exeminer Name	·					
I basieve i en tre crisina, frat et along at le fact part of the crisina, at at le fact part of the crisina at le fact part of the crisina at le fact part of the crisina at least part of the critical at least part of the crisina at least part of th	when mean when a did Methods for (Time of the mean of	are properties of the invention) as Units a u	extual Dys	function function function function function function function m, inducing the	CT International			
I hereby doin foreign priority be cartificable, or 365(a) of any PCT America, issued below and have as or of any PCT international applica-	neits under 35 U.S.Ç. 1 International application so identified below, by the ston having a filing date i				mi; or investor's Inited States of itor's certificate,			
Prior Foreign Application Number(s)	Country	Fereign Piling Date (MNSSDCCCC)	Priority Hut Claimed	768	NG			
·			0000	000	0000			
Additional ferrigin application		and the same of the same of the	a sheet PTO/SE	roziii wanened ne	ne tuz			
I hereby cleim the benefit under	36 U.S.C. 119(e) of any	United States Brentister	M 400 (Carlonia)	alaci belos				
Application Number(s)	Filing Date	(MM/DDMYYYY)	num	denal prevision bors are listed demental priorit	on a ly data sheet			

Page 1 of 2]
Surdern How Statement This form is estimated to take 0.4 hours to complete. Time will wany depending upon the needs of the individual cases. Any comments on the encount of time you be required to demente this form about to be sent to the Charl Internation Officer, Patent and Tendernat Officer, Vehiclips, Oc 2021: ON NOT \$550 Page 2 OR COMPLETED FORMS TO THIS ADDRESS SENTO C. Assistage Overmoscome for Pages. Vestrigation, CO.

Base type a plus sign (+) inside this box ->	Patient and Trademark Office: U.S. DEFARTMENT OF COMMERCE. Patient and Trademark Office: U.S. DEFARTMENT OF COMMERCE. Registed and respond to a collection of information unless in contains are required or respond to a
a valid OMB control number.	

a valid QMB centrel number.												
DEC	LAF	RATIO	<u>N —</u>	Utility	y or l	Desig	n	Pate	nt A	qq	licatio	n_
i hereby cloim to United States of United States of United States of Wormston white and the nations	te benefit if America if PCT into the is make for PCT is	under 35 U.S., fixed below a grantional application to parente year to parente	O. 120 et and, insol cation in it billy as di ng date of	eny United St er as the sub as manner pro efined in 37 C this applicatio	ales applications and the second seco	dion(s), or 3 of each of a first parag tich became	65(c) the di raph c	of any PC! laims of this of 35 U.S.C lable between	internal applies 112, 1 s on the fi	ionel as Ilion is i Ichowi Iling dat	oplication designed in not displayed in edge the duty to of the prior	preating the n the prior to disclose application
U.S. Parent Application or PCT Parent Number						Parent Filing Date Par (MM/DD/YYYY)				nt Patent No		
THE STATE OF THE S				(mms						-		
											2B attached he	
As a named inv ano Trademark	entor, the Office on	reby appoint the nacted therew	in tollowing hth; (1991 c	g registered pr Settemer Norm	reclitioner(s		to this	application	n arred to	ransuc	Place Custo	7101"
				NA legistered pra-			relice.	anned Annabas has	and heales	. l.	Number Bar 6	
				Regist	trailon	1 az saz regim	(ANDII	Nam			Regist	notion
	Name			Nun	nbar	-+-		Nam			Hen	nber .
						- 1						
						- 1					1	
American		nor et Dinnarda)		emodemente	I Receive	Practitions	Infor	resilion she	et PTO/S	ENDSC	alignment have	10
Direct all core					-		-	7				
Direct Br Corv	eaponee			ode Label	L		_	OH	(X) (%	rrespo	ndence addr	ees nelow
Name	Dia	ne R. Me	yers									
Address	Eck	ert Seam	ans C	herin s	Mello	tt. LL	c					
Address	600	Grant S	street	. 44th	Floor		-					
Chy	Pit	tsburgh				State		PA	ZIP	1	5219	
Country	US			Telepho	412	/566~2	036	5	Fex	412	/566-609	9
I hereby death believed to be punishable by application or a	ne (hai ei irus; and fine oi in my paleni	statements m further that the prisonment, or increase thereor	ade Norei lese state r bolh, un	m of my own ments were r der 18 U.S.C	knowledge made with , 2001 and	are true an the knowled that such	d thai ge thi wilkul	i of statem at with the laise state	enis ma ise state monis m	de of: i media wy joo	information and and its like so pardize the ve	t belief are made ste fidity of the
Nume of S	ole or F	iret Invente	or;			□ A pe	nois	hes been	filed fol	this u	nsigned invo	nlor
	iven Nac	ne thirst and r		anvi)					Name	or Sur	папе	
l		Meir S.						Sac	:k5			
inventor's Signature),	N	6						Date	
Residence:	city	Pittsb	i rg h	State	PA	Çòyn	· -	US			CitizanaRig	US
Prost Office A	ddrese	5446 Q	arin	Road						_		
Post Office							_					
City		Pgh.	State	PA	ZI	15	217	7	Cou	otry	US	
Danciscos	invento	rs are being i	named o	n the 1_s	upplemer	tal Addition	saf Im	veniar(s)	aheet(s	PTO	SB/02A attac	hed heret

SEP 01'00

Me type a pice sign (4) Under valid C	imiae this box -> + the Papamork Reduction Act of Mile contact number.	1895. no	Persons	Palent are raquim	and Tr	Approved to edemant Office epond to a capi	oue Progr LIS DEP BOSON OF IN	* 5/35/64	ON PARA (\$497) ON POST-0382 OF COMMERCE less is optimited a
D	DECLARATION ADDITIONAL INVENTOR(6) Supplies of the Control of the								
Nume of Addition	al Joint Inventor, If any	:		LIAP	Willen	haa baan fii	d for this	unwighed h	nverstor
Given Ner	(Yene til elbbirn bas teril) se					Samly No	me er Sy	na/ne	
Knax				Van	Dyk	ce .			
invertor's Signature	Knox Va	ni	Ink	و				Date	9/1/00
Redisease City	Morganeown	State	W	Cour	.,	us		Managhip	tus
Post Office Address	106 Morgan Drive								
Pass Office Address					_				
City	Morgantown	Btate	WV	DP	1	26505	Country	US	
Name of Addition	al Joint Inventor, if any			DAM	MARION	has been fil	ed for this	uheigned i	av ento r
Gwen Na	me (first and middle (if any))					Family Na	eme of Su	rieths	
				ı					
Inventor's Signature				pete					
Residence: City		SDM.		Cow	no.			Chicenship	
Posi Office Address									. —
Post Office Address									
City		Vinte		Τ,	28"		Count	y	
Name of Addition	nal Joint inventor, if an	y:			etto.	nas been fi	ed for this	unsigned	inventor
Charle Mil	ume (first and middle [if any)	>			_	Facility N	100 or 50	room	
inventor's Signature								Dette:	+
Residence: City	Blader Country Chisanehija						<u>- </u>		
Past Office Address				-					
	1								
Post Office Address	<u> </u>		,	-		T			